



**BOEN**

THE ART OF HARDWOOD FLOORING

# THE NEW BOEN DIMENSION

BOEN CHALET AND CHALETINO



43  
42  
41  
40  
39  
38  
37  
36  
35  
34  
33  
32  
31  
30  
29  
28  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1

# CHALET

## DESIGN IS NOT JUST THE APPEARANCE, BUT ALSO FUNCTIONALITY


Chalet is an exclusive oak plank of different widths and lengths of up to 4 metres. The planks are delivered in a rustic grade permitting knots and lively colour variations. The oak wear layer is 4.5 mm thick and the centre and bottom layers are of high-quality spruce.

Every floor is designed by BOEN's floor designers and specially adapted to the individual room. This makes each floor completely unique.

### Bevelled on all four edges

All planks have a micro bevel of 1 mm at 45 degrees along all four edges. The bevel highlights the long length and breadth of these large planks. All boards are tongue & grooved on the long edge with loose tongue on the short end.

## TECHNICAL DETAILS

- 
- Width: 395 mm
- Width: 350 mm
- Width: 300 mm
- Width: 250 mm
- Width: 200 mm
- Thickness: 20 mm
- Hardwood wear layer: approx. 4.5 mm
- Centre layer: 10.5 mm
- Bottom layer: 5 mm
- Micro bevel: All 4 edges
- Length: 2000 - 4000 mm
- Loose tongue
- The diagram illustrates the technical specifications of the Chalet plank. It shows a vertical plank with various dimensions and a cross-section of its layered construction. The width options are 395 mm, 350 mm, 300 mm, 250 mm, and 200 mm. The thickness is 20 mm. The cross-section shows a hardwood wear layer (approx. 4.5 mm), a centre layer (10.5 mm), and a bottom layer (5 mm). The plank has a micro bevel on all four edges and a loose tongue on the short end. The length is specified as 2000 - 4000 mm.


## SOURCED FROM THE FINEST TIMBER

At BOEN we are proud of Chalet! A Chalet floor combine's BOEN's substantial experience in the design of quality structurally stable floors with the latest in surface treatment technology. Our natural oil is of the highest quality and based upon a combination of carnauba wax, candelilla wax, sunflower seed oil, soya bean oil and thistle oil.

In either a private home or a public environment, a Chalet oak floor will always impress and inspire.

Raw materials used in the production of Chalet plank come from timber that is between 150 and 200 years old. BOEN has its own timber specialists who select the correct qualities from the Baltic forests.

### Example floor plan of the combination of different lengths and widths in a room:



## EACH ROOM – PLANNED INDIVIDUALLY

Once Boen have created your floor plan, simply follow the installation step by step. Each plank is labelled with its position in the floor and this makes laying the floor easy even if there are many different widths of planks. BOEN calculates precisely where each plank should be placed so that nothing is wasted.

### Four steps to installing a unique floor:

1. Select the colour of the surface.
2. Make a precise sketch of the room, including where the doors and windows are and send it to BOEN. If you have questions, please also include your contact address and telephone number
3. You will receive a proposal for what the floor could look like.
4. If you wish to approve the proposal, then you just confirm as an order.

### BOEN Chalet and Chaletino - Under floor heating systems

Chalet and Chaletino is suitable to be installed over under floor heating. Care should be taken as excessive subfloor heat may cause cracks between boards.

# CHALET



# CHALETINO

## DIFFERENT DIMENSIONS CREATE EXTRAORDINARY ROOMS

Large rooms inspire decoration with extra wide planks. Chaletino has a length of 2.75 metres and a width of 30 cm. It provides a tranquil and exclusive expression. Chaletino planks are of the same grade as Chalet - with a natural incidence of knots and plays of colours.

### Thoroughly engineered design

The hardwood wear layer has a thickness of 4.5 mm and the solid 3-layer design has been engineered for a long service life.

### Bevelled on all four edges

All planks have a micro bevel of 1 mm at 45 degrees along all four edges. The bevel highlights the long length and breadth of these large boards. All boards are tongue & grooved on the long edge with loose tongue on the short end.

## TECHNICAL DETAILS

→ Width: 300 mm

→ Thickness:  
20 mm




→ Length: 2750 mm



→ Hardwood wear layer:  
approx. 4.5 mm



→ Centre layer:  
10.5 mm



→ Bottom layer:  
5 mm



→ Micro bevel:  
All 4 edges

→ Loose tongue



# CHALETINO



## CRAFTSMANSHIP AND INNOVATION – HAND-IN-HAND

Interiors with wide planks provide an extra good feeling of timelessness. Chaletino inspires us all to create unique rooms. Production of Chaletino requires experienced craftsmen who are able to preserve the wood and protect its beauty. Precision in production and technology in surface treatments are necessary to achieve the required BOEN quality. With our roots firmly fixed to BOEN's sawmill at Kristiansand from the 1600's, BOEN is an active participant in keeping traditions of outstanding craftsmanship alive.

With ten different surface treatments, there are many possibilities to choose between to create a room with a good feeling.

BOEN wishes you years of satisfaction with your selections!

## SURFACE SOLUTIONS

With ten different colours and characters, there are many possibilities to choose between.

## SURFACE TREATMENT

BOEN Chalet and Chaletino is treated with NaturalPlus. Deep penetration of the natural oil into the wood is ensured by two-time application. Drying takes place completely naturally in the open air. This produces a wear-resistant natural oil surface that is ready-to-use.

Daily cleaning is best performed with dry cleaning methods, either vacuuming or dry mopping. Common microfibre cloths must not be used. Please, follow the instructions in the BOEN care and maintenance program.




Oak Traditional white, Chaletino



Oak Coral, Chalet



Oak Traditional, Chaletino



Oak Antique, Chalet



Oak Stonewashed grey, Chalet



**Oak Traditional**  
Classic variant that is surface-treated with natural oil and a choice of an unbrushed or brushed surface.



**Oak Stonewashed grey**  
Brushed, stained and treated with natural oil. A unique floor where the growth rings in the wood are highlighted.



**Oak Traditional white**  
Natural oil with a fine mist of white pigment.



**Oak Pearl**  
Natural oil with pearl grey pigment.




**Oak Coral**  
Natural oil with look of bright coral.



**Oak Sand**  
Natural oil with sand colour.



**Oak Antique**  
A rough grade that is dark-stained and surface-treated with natural oil.



**Oak Chocolate**  
Dark-stained rustic variant that is surface-treated with natural oil and a choice of an unbrushed or brushed surface.

Regions: Scandinavia  
 BOEN Bruk A/S  
 4658 Tveit, Norway  
 Phone: +47 380666 00  
**www.boen.no**

Regions: Central and Southern Europe,  
 Middle East, East Asia, Africa  
 BOEN Parkett Deutschland GmbH & Co. KG  
 Industriestraße 41, 23879 Mölln, Germany  
 Phone: +49 4542 8003 0  
 boen@boen-parkett.de, **www.boen.de**

Regions: Eastern Europe, Central Asia  
 BOEN Lietuva  
 Ilgio Street 5, 21412 Kietaviskės, Elektrėnu sav.  
 Lithuania, Phone: +370 686 551 55  
**www.boen.lt**

Regions: UK, Republic of Ireland,  
 BOEN UK Ltd.  
 Unit 320-322, Beech Drive, Hartlebury Trading Estate,  
 Hartlebury, Worcestershire DY10 4JB, UK  
 Phone: +44 (0)800 652 5280  
**www.boen.co.uk**

Regions: USA, Canada, Americas  
 BOEN Hardwood Flooring Inc.  
 350 Hollie Drive, Bowles Ind. Park, Martinsville,  
 VA. 24112, USA  
 Phone: +1 276 638 3700  
**www.boen.com**



The products in this brochure are available with FSC™ certification upon request.



# BOEN

THE ART OF HARDWOOD FLOORING

**www.boen.com**